



ROS 2 Load Balancing Service



Objective

- ROS 2 service load-balancing in application layer without protocol change.
- Support multiple service servers on the same service path to have robustness and load-balancing mechanism.
- Scale / Offload ROS 2 service server/client application with remapping but code modification.



- Service Server Proxy is implemented based on rclcpp::GenericService.
- Service Client Proxy is implemented based on rclcpp::GenericClient.

How to use

Usage:

```
load_balancing_service [-h|--help] [-s|--service-name SERVICE_NAME] [-t|--service-type SERVICE_TYPE] [--strategy XXX] [-i|--interval TIME]
  --strategy choose one of "round_robin", "less_requests" and "less_response_time"
    If not set, "round_robin" is used as default.
    "round_robin": select the service server in order.
    "less_requests": select the service server with the fewest requests.
    "less_response_time": select the service server with the shortest average response time.
  --interval Interval to discovery service servers. Unit is second.
    If not set, default is 1s.
```

Configuration Parameters

- **Service Name** : This is the original service name. The service server proxy adds a fixed prefix "load_balancing", so the proxy service name becomes "load_balancing/SERVICE_NAME".
- **Service Type** : e.g) "example_interfaces/srv/AddTwoInts"
- **Strategy(optional)** : Strategy for load balancing. "round_robin"(default), "less_requests" and "less_response_time".
- **Interval(Optional)** : Duration(default 1 sec) how often the service server discovery action is performed.

Example

```
$ ros2 run load_balancing_service load_balancing_service -s add_two_ints -t example_interfaces/srv/AddTwoInts --strategy round_robin -i 1
[INFO] [1727418589.343051995] [main]:
  Load balancing service name: /load_balancing/add_two_ints
    Service type: example_interfaces/srv/AddTwoInts
  Load balancing strategy: round_robin
  Interval to discovery server: 1s
-----
Service client remap service name to /load_balancing/add_two_ints
Service server remap service name to /load_balancing/add_two_ints/XXX
```

It provides hints for the prefixed service names where clients and servers can connect.

- service client should remap service name to `"/load_balancing/add_two_ints"`.
- service server should remap service name to `"/load_balancing/add_two_ints/XXX"`.
(`XXX` needs to be configured by user with service backend.)

Start 2 service servers backend

- Run service server backend with `s1` .

```
$ ros2 run demo_nodes_cpp add_two_ints_server --ros-args -r add_two_ints:=load_balancing/add_two_ints/s1
```

- Run service server backend with `s2` .

```
$ ros2 run demo_nodes_cpp add_two_ints_server --ros-args -r add_two_ints:=load_balancing/add_two_ints/s2
```

Those service backends are discovered and connected by service load-balancer.

Start 10 service clients

Open another terminal, run the this script

```
$ cat run_clients.sh
#!/bin/bash

for i in {1..10}
do
  ros2 run demo_nodes_cpp add_two_ints_client_async --ros-args -r add_two_ints:=load_balancing/add_two_ints &
done
```

You will see logs that 5 requests have been received in the two terminals running the service server.

Project repository

https://github.com/barry-Xu-2018/ros2_load_balancing_service/

